

ALP K2[®]

MEDICAL PRODUCTS CATALOG



EST.1969
TANAKA SANGYO Co.,Ltd.

Digital Blood Pressure Monitor

Tensiometros Digitales

K2-920



MT-500



K2-232



Wrist

Upper Arm

Type of measurement part

E

with English Instruction

E&S

with English & Spanish Instruction

CE

with CE-Mark

CE

according to an order, it corresponds with CE-Label

AA

AAA

006P

Type of Dry Cell to be used

Cert

Free Sale Certificate offer of Japan Ministry of Health, Labour and Welfare is possible

Cert

"Manufactured in Japan" Certificate offer of Japan Ministry of Health, Labour and Welfare is possible

Sold Out / New model to be released



Touch-Key Operation Measurement on Inflation

Design Direction by
Kazuo Kawasaki
WHO Classification Models

No.K2-231

Upper Arm

CE

AA

E&S

- Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- Body Motion Indicator
- Pulse Rhythm Indicator
- Automatic Inflation System
- Automatic Power Shut Off
- 6 Error Indication
- AC-Adaptor (option) use is possible

Measuring Range: Systolic 50-250mmHg
Diastolic 40-180mmHg
Pulse Rate 40-160bpm

Weight: 250g (without batteries)
Packing: 20sets/carton
: 0.053m³, 14.9kg



Touch-Key Operation Fuzzy Inflation Cuff Condition Indication

Design Direction by
Kazuo Kawasaki
WHO Classification Models

No.K2-232

Upper Arm

CE

AA

E&S

- Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- Body Motion Indicator
- Pulse Rhythm Indicator
- Reliability Indicator
- Automatic Inflation System
- Automatic Power Shut Off
- 7 Error Indication
- AC Adaptor (option) use is possible

Measuring Range: Systolic 50-250mmHg
Diastolic 40-180mmHg
Pulse Rate 40-160bpm

Weight: 250g (without batteries)
Packing: 20sets/ carton
: 0.053m³, 14.8kg



Measurement on Inflation

No.K2-920

Wrist

CE

AA

E&S

- Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- Automatic Inflation System
- Automatic Power Shut Off
- 5 Error Indication

Measuring Range: Systolic 50-250mmHg
Diastolic 40-180mmHg
Pulse Rate 30-199bpm

Weight: 100g (without batteries)
Packing: 40sets/carton
: 0.075m³, 13.7kg



Touch-Key Operation Fuzzy Inflation

Design Direction by
Kazuo Kawasaki
WHO Classification Models

No.K2-233

Wrist

CE

AA

E&S

- Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- Body Motion Indicator
- Pulse Rhythm Indicator
- Automatic Inflation System
- Automatic Power Shut Off
- 7 Error Indication

Measuring Range: Systolic 50-250mmHg
Diastolic 40-180mmHg
Pulse Rate 40-160bpm

Weight: 250g (without batteries)
Packing: 40sets/carton
: 0.038m³, 10.2kg



Measurement on Inflation

No.K2-2015

Upper Arm

CE

AA

E&S

- Blood Pressure & Pulse Rate Measuring
- Memory Function
- Automatic Inflation System
- Automatic Power Shut Off
- 5 Error Indication

Measuring Range : Systolic 50-250mmHg
 Diastolic 40-140mmHg
 Pulse Rate 40-180bpm
 Weight: 220g (without batteries)
 Packing: 20sets/ carton
 : 0.053m³, 12.0kg



Long Size Cuff Measurement on Inflation

No.K2-2015M

Upper Arm

CE

AA

E&S

- Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- Automatic Inflation System
- Automatic Power Shut Off
- 5 Error Indication

Measuring Range : Systolic 50-250mmHg
 Diastolic 40-180mmHg
 Pulse Rate 40-180bpm
 Weight: 220g (without batteries)
 Packing: 20sets/ carton
 : 0.053m³ 12.0kg

ALP K2[®]

DIGITAL BLOOD PRESSURE MONITOR AND THERMOMETER CATALOG



Mercurial Column Image Display

No.DM-3000 Desk Type

Upper Arm

CE

E&S

- B. Blood Pressure & Pulse Rate Measuring
- Memory Function
- Automatic Inflation System
- 10 digits LCD & 300 dots bar LCD Indicator
- Measurement both Manually and Automatically
- 5 Error Indication


Measuring Range: Systolic 50-250mmHg
Diastolic 40-180mmHg
Pulse Rate 40-160bpm

Power Supply: AC-Adaptor & Rechargeable Battery
Weight: 1.26kg (without AC-Adaptor/Battery)
Packing: 4sets/carton
: 0.056m³, 10.5kg

No.DM-3000 Stand Type

Specifications: same as Desk Model

Max. Height: approx. 128cm






Non-Contact Thermometer

No. MT-500

AAA

E&S

Power Supply : one AAA alkaline (LR03) battery
 Electrical Rating : 1.5DVC, 0.09W
 Measuring Body Site: forehead
 Reference Body Site: armpit
 Measurement Mode : body temperature,
 object temperature,
 room air temperature
 Measurement Range: body temperature +34.0 to +42.5°C
 object temperature 0 to +100.0°C
 room air temperature -10.0 to +45.0°C
 Weight : 50g(without batteries)
 Packing: 40sets/carton
 : 0.066m³, 9.9kg



K2 PULSE 230

CE

AAA

| | |
|----------------------------------|---|
| Operating principle | : Double wavelength lights absorption method |
| Measurement result display | : Average of 4 pulses (automatic update at every pulse) |
| Measurement Range | : %SpO ₂ 0 - 100% |
| Pulse rate | : 30 - 240bpm |
| Accuracy | : %SpO ₂ ±2% (70%≤SpO ₂ ≤100%) |
| | : Pulse rate ±3%/±1 digit (30 - 240bpm) |
| Power source | : One AAA alkaline (LR03) battery |
| Rated voltage | : DC 1.5V |
| Rated power consumption | : 0.09W |
| Operating condition | : +10°C to +40°C, 30% to 85% RH (no condensation) |
| Transportation/storage condition | : -20°C to +60°C, 10% to 95% RH (no condensation) |
| Size Approximately | : 60 (H) × 35 (W) × 32 (D) mm |
| Weight | : Approximately 37g (without battery) |
| Packing | : 40sets/Carton : 0.0538m ³ , 6.65kg |



ALPK2®



President's Message

ALPK2 is a well-known medical device brand such as Blood Pressure Monitors and Stethoscopes all over the world.

It has a meaning of "aim for much higher goals", named after "K2", the second highest mountain in the world.

Since the establishment of our company in 1959, we have committed to support the medical services widely by trying to improve "the quality" of the products and "customer satisfaction" according to the management philosophy of our ALPK2.

And our factory is ISO 9001 certified, which means to manage ever better and safer quality.

We will respond sincerely and efficiently to our customers and continue to strive for further growth without being content with our present situation.

We have become aware of many counterfeit products bearing the brand name ALPK2. Please understand that the quality of our genuine ALPK2 products is far superior to those counterfeit products.



Aneroid Sphygmomanometer

Tensiometro Aneroide

**CE**

with CE-Mark

CE

according to an order

CertFree Sale Certificate offer of Japan Ministry of Health,
Labour and Welfare is possible

*Please use the genuine parts of our company in the case of parts exchange!
Refer to 14-17 pages for each parts !!*

1 Aneroid Sphygmomanometer No.500-V

- Manometer : 20 - 300mmHg
(No.500-M) : with zero stop pin
- Accuracy : $\pm 3\text{mmHg}$
- Air System : Velcro Cuff with
Latex Bag (No.8292)
: Bulb & Valves (No.90)
- Weight : 430 g
- Packing : 50 sets/carton
: 0.065m^3 , 23.0kg

Cert

Aneroid

2 Aneroid Sphygmomanometer No.500-VN

- Design Box
- Other Specifications : same as No.500-V



No.500-M



2

***The color of Latex is Black or Green**

3 Aneroid Sphygmomanometer for EU Model No.500-V-EU

- Manometer : 0-300mmHg
(No.500-ME) : without zero stop pin
- Accuracy : $\pm 3\text{mmHg}$
- Air System : Velcro Cuff with
Latex Bag (No.8292)
: Bulb & Valves (No.90)
- Weight : 430 g
- Packing : 50 sets/carton
: 0.065m^3 , 23.0kg

*The Label of CE-Mark indicated on Manometer & Box



3

CE

Cert



No 500-ME

This product is conformity with
EN1060-1 & EN1060-2



1 Aneroid Sphygmomanometer with Stethoscope No.501-V

- Manometer : 20-300mmHg
(No.500-M) : with zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Velcro Cuff (No.82+installed single-head chestpiece) with Latex Bag(No.79-2)
: Bulb & Valves (No.90)
- Stethoscope : Brass Binaural(No.B-03)
: Black Y-Tube(No.Y-05)
: Chestpiece(installed)
- Weight : 550 g
- Packing : 50 sets/carton
: 0.0767m³, 29.5 kg

Cert



2 Aneroid Sphygmomanometer with Stethoscope No.501-VN

- Design Box
- Other Specifications : same as No.501-V

3 Aneroid Sphygmomanometer for EU with Stethoscope No.501-V-EU

- Manometer : 0-300mmHg
(No.500-ME) : without zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Velcro Cuff(No.82+installed single-head chestpiece) with Latex Bag(No.79-2)
: Bulb & Valves (No.90)
- Stethoscope : Brass Binaural(No.B-03)
: Black Y-Tube(No.Y-05)
: Chestpiece(installed)
- Weight : 550g
- Packing : 50 sets/carton
: 0.0767m³, 29.5kg

*The Label is indicated on Manometer & Box

This product is conformity with EN1060-1 & EN1060-2



No.500-ME

CE

*Please use the genuine parts of our company in the case of parts exchange !
Refer to 14 - 17 pages for each parts !!*



4 Aneroid Sphygmomanometer Ring Cuff with Stethoscope No.501-VR

- Manometer : 20-300mmHg
(No.500-M) : with zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Ring Cuff(No.88+installed single-head chestpiece) with Latex Bag(No.79-2) Bulb & Valves (No.90)
- Stethoscope : Brass Binaural(No.B-03)
: Black Y-Tube(No.Y-05)
: Chestpiece (installed)
- Weight : 590 g
- Packing : 50 sets/carton
: 0.0767m³, 31.5 kg

Aneroid

5 Aneroid Sphygmomanometer Stethoscope Separate Type No.501-VS

- Manometer : 20-300mmHg
(No.500-MF) : with zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Velcro Cuff with Latex Bag (No.8292)
: Bulb & Valves (No.90)
- Stethoscope : Nurse's Stethoscope
No.NL-12 Black Tube
- Weight : 550 g
- Packing : 50 sets/carton
: 0.0767m³, 29.5kg



6 Aneroid Sphygmomanometer Fluorescent Type No.500-DX

- Manometer : 20-300mmHg
(No.500-MF) : with zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Nylon Cuff with Latex Bag (No.8292-N)
: Bulb & Valves (No.90)
- Weight : 430 g
- Packing : 50 sets/carton
: 0.065m³, 23.0kg

Cert



No.500-MF



1

Cert Certification is the notation of No.500-C

1 Aneroid Sphygmomanometer for Pediatrics No.500-C2 ~ C5

- Manometer : 20-300mmHg
(No.500-M) : with zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Velcro Cuff for Pediatrics
with Latex Bag
: Bulb & Valves (No.90)

| Item No. | Cuff Size | Type |
|-----------|----------------|------------|
| No.500-C2 | 4.5 × 26.0 cm | Infant |
| No.500-C3 | 6.5 × 28.0 cm | Children |
| No.500-C4 | 8.5 × 30.0 cm | Children-M |
| No.500-C5 | 10.5 × 34.0 cm | Children-L |

- Weight : 300 g(No.500-C3)
- Packing : 50 sets/carton
: 0.065m³, 16.0 kg

2 Aneroid Sphygmomanometer Nylon Cuff for Pediatrics No.500-CN1 ~ 3

- Manometer : 20-300mmHg
(No.500 M) : with zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Nylon Cuff for Pediatrics
with Latex Bag(Black)
: Bulb & Valves (No.90)

| Item No. | Cuff Size | Type |
|------------|----------------|----------|
| No.500 CN1 | 5.5 × 17.5 cm | New Born |
| No.500 CN2 | 7.5 × 25.0 cm | Infant |
| No.500 CN3 | 11.0 × 34.0 cm | Children |

- Weight : 320 g(No.500-CN2)
- Packing : 50 sets/carton
: 0.065m³, 17.5 kg



2

CE

3 One-Hand Type Aneroid Model No.K2-502

- Manometer : 20-300mmHg
: without zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Nylon Cuff with
Latex Bag (No.8292-N)
: Bulb & Valves (installed in the body)
- Weight : 400 g
- Packing : 40 sets/carton
: 0.099m³, 17.4kg



3

Please use the genuine parts of our company in the case of parts exchange!
Refer to 14-17 pages for each parts !!

4 Aneroid Sphygmomanometer Large Face Bedside Type No.500-W-1



- Manometer : 20-300mmHg
(No.500-MW) : with zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Nylon Cuff with
Latex Bag (No.8292-N)
: Bulb & Valves (No.90)

CE

Cert

- Weight : 1.1 kg
- Packing : 24 sets/carton
: 0.1289m³, 29.0kg

5 Aneroid Sphygmomanometer Large Face Wall Type No.500-W-2



- Specifications : same as No.500-W-1
- Weight : 840 g
- Packing : 24 sets/carton
: 0.1289m³, 23.0kg

CE

Cert

6 Aneroid Sphygmomanometer Large Face Stand Type No.500-W-3



- Mobile Unit : 5-Legs Base Unit with Caster
- Other Specifications : same as No.500-W-1

- Weight : 5.0 kg
- Packing : 4 sets/carton
: 0.0787m³, 22.0 kg

CE

Cert

7 Aneroid Sphygmomanometer Large Desk Model No.500-WD



- Manometer : 20-300mmHg
(No.500 MW) : with zero stop pin
- Accuracy : ± 3 mmHg
- Air System : Nylon Cuff with
Latex Bag (No.8292-N)
: Bulb & Valves (No.90)

- Weight : 1.1 kg
- Packing : 12 sets/carton
: 0.077m³, 14.5 kg

Cuff & Latex Bag


*The Cuff Set for Sphygmomanometers combines Cuff and Latex Bag. Two Examples are shown below !

Cuff




No.82 Velcro Cuff

Latex Bag



No.79-2 Latex Bag



No.75 Velcro Cuff for Children



No.79-3 Latex Bag for Children

*Cuff should use suitable size by measurement part etc.

*The combinations of Cuffs & Latex Bags are as in the following table.

The same line corresponds

Cuff

Latex Bag

| No. | Type | Size | weight |
|------|---------------------------|------------|--------|
| 72 | Velcro Cuff Infant | 4.5×26.0 | 10g |
| 75 | Velcro Cuff Children | 6.5×28.0 | 14g |
| 76 | Velcro Cuff Children-M | 8.5×30.0 | 16g |
| 77 | Velcro Cuff Children-L | 10.5×34.0 | 20g |
| 82 | Velcro Cuff Adult | 14.5×50.0 | 48g |
| 82-N | Nylon Cuff Adult W/ALPK2 | 14.5×54.0 | 40g |
| 83 | Velcro Cuff Large Adult | 14.5×58.0 | 54g |
| 86 | Velcro Cuff U.S. Adult | 14.5×60.0 | 55g |
| 87 | Velcro Cuff Special Large | 17.5×67.0 | 90g |
| 88 | D-Ring Cuff Adult | 14.5×52.0 | 88g |
| 89 | Velcro Cuff Thigh | 20.0×100.0 | 120g |
| 80 | Bandage Cuff Adult | 14.5×100.0 | 55g |
| 81 | Bandage Cuff Children | 6.5×70.0 | 20g |
| DN-1 | Nylon Cuff New Born | 5.5×18.5 | 5g |
| DN-2 | Nylon Cuff Infant | 7.5×26.5 | 12g |
| DN-3 | Nylon Cuff Children | 11.0×35.5 | 28g |
| DN-4 | Nylon Cuff Adult | 15.0×54.5 | 40g |
| DN-5 | Nylon Cuff Large Adult | 17.5×62.5 | 50g |
| DN-6 | Nylon Cuff Thigh | 21.5×82.5 | 80g |

| No. | Type | Size | weight |
|-------|-------------------|-----------|--------|
| 79-4 | for Infant | 3.0×15.0 | 39g |
| 79-3 | for Children | 5.0×20.0 | 46g |
| 79-3M | for Children-M | 7.0×20.0 | 62g |
| 79-3L | for Children-L | 9.0×22.0 | 82g |
| 79-2 | for Adult | 12.0×22.5 | 96g |
| 79-2 | for Adult | 12.0×22.5 | 96g |
| 79-2 | for Adult | 12.0×22.5 | 96g |
| 79-2 | for Adult | 12.0×22.5 | 96g |
| 79-1 | for Special Large | 15.0×32.0 | 132g |
| 79-2 | for Adult | 12.0×22.5 | 96g |
| 79-0 | for Thigh | 18.0×38.0 | 120g |
| 79-2 | for Adult | 12.0×22.5 | 96g |
| 79-3 | for Children | 5.0×20.0 | 46g |
| DB-1 | for New Born N | 4.0×8.0 | 48g |
| DB-2 | for Infant N | 5.5×11.5 | 55g |
| DB-3 | for Children N | 8.0×16.5 | 60g |
| DB-4 | for Adult N | 12.0×22.5 | 96g |
| DB-5 | for Large Adult N | 15.0×32.0 | 135g |
| DB-6 | for Thigh N | 18.0×38.0 | 200 g |

Cuff Set



No.8292 Velcro Cuff Set



No.VC-3 Velcro Cuff Set

Cuff Set

| No. | Type | weight |
|--------|-----------------------------------|--------|
| VC-2 | Velcro Cuff Set for Infant | 49g |
| VC-3 | Velcro Cuff Set for Children | 60g |
| VC-4 | Velcro Cuff Set for Children-M | 78g |
| VC-5 | Velcro Cuff Set for Children-L | 102g |
| 8292 | Velcro Cuff Set for Adult | 144g |
| 8292-N | Nylon Cuff Set for Adult | 136g |
| 8392 | Velcro Cuff Set for Large Adult | 150g |
| 8692 | Velcro Cuff Set for U.S.Adult | 151g |
| 8791 | Velcro Cuff Set for Special Large | 222g |
| 8892 | D-Ring Cuff Set for Adult | 184g |
| 8990 | Velcro Cuff Set for Thigh | 240g |
| 8092 | Bandage Cuff Set for Adult | 151g |
| 8193 | Bandage Cuff Set for Children | 66g |
| NC-1 | Nylon Cuff Set for New Born | 53g |
| NC-2 | Nylon Cuff Set for Infant | 67g |
| NC-3 | Nylon Cuff Set for Children | 88g |
| NC-4 | Nylon Cuff Set for Adult | 136g |
| NC-5 | Nylon Cuff Set for Large Adult | 185g |
| NC-6 | Nylon Cuff Set for Thigh | 280g |

Various kinds of Velcro Cuffs



Various kinds of Other Cuffs



Various kinds of Nylon Cuffs



Various kinds of Latex Bags



Single Tube Latex Bag



No.79-2S

Parts for Sphygmomanometer

Aneroid Manometer

Manometers of the following 3Type

Weight : 150 g
 Packing : 100 pcs/carton
 : 0.0656m³, 16.0 kg

No.500-M : Standard Type
 : with Zero Stop Pin
 : 20-300mmHg

No.500-MF : Fuluoresent Type
 : with Zero Stop Pin
 : 20-300mmHg

No.500-ME : for EU Type
 : without Zero Stop Pin
 : 0-300mmHg
 : complies with EN1060-1&2

No.PG-1 : Manometer Glass
 : Acryl



Large Manometer



No.500-MW : 6" Large Face Type
 : without Zero Stop Pin
 : 20-300mmHg
 Weight : 600 g
 Packing: 24 pcs/carton
 : 0.1289m³, 17.0 kg


Zipper Case



No.LBS-2 : for No.500 Series
 : Brand Logo Printed
 *No. LBS-2N : without Print

No.LBS-3 : for No.501 Series
 : Brand Logo Printed
 *No.LBS-3N : without Print

Bulb & Valves



No.91 : Rubber Bulb(Black or Green)

Weight : 22 g

Packing : 250 pcs/carton

: 0.0704m³, 6.5 kg

No.92 : Air Control Valve

Weight : 22 g

Packing : 500 pcs/carton

: 0.022m³, 12.0 kg

No.93 : End Valve

Weight : 2 g

Packing : 5000 pcs/carton

: 0.014m³, 11.0 kg



Each Valve attached....

Bulb & Complete Set



No.90 : Bulb Complete Set

(No.91,92,93 Complete Set)

Weight : 56 g (Including Box)

Packing : 250 pcs/carton

: 0.0704m³, 15.0 kg

Coil Tube



Latex Coil Tube

Overall Length : 2m

Weight : 50 g

Packing : 250 pcs/carton

: 0.034m³, 14.0 kg

Stethoscope Estetoscopio



CE

with CE-Mark

CE

according to an order

Cert

Free Sale Certificate offer of Japan Ministry of Health,
Labour and Welfare is possible

K2-Clinicphone "Harmonia" No.FT-01

- Chestpiece : Bell&Diaphragm,
(No.801C) Two-Way Type Stainless
- Binaural : Swing Binaural(No.B-08)
Type Stainless
- Y-Tube : assembled with Binaural
: Black Color
- Weight : 406 g
- Packing : 25 sets/carton
: 0.0484m³, 13.8 kg



Double Head Stethoscope for EU Type No.FT-801-EU

- Chestpiece : Bell&Diaphragm,
(No.801C) Two-Way Type
: Aluminum
: with CE mark
- Binaural : Brass Binaural(No.B-03)
- Y-Tube : P.V.C.Y-Tube(No.Y-05)
: Grey or Black Color
- Weight : 130 g
- Packing : 100 sets/carton
: 0.0586m³, 14.5 kg



CE

Cert



The proper use is printed in a box !

Stethoscope

*Please use the genuine parts of our company in the case of parts exchange !
Refer to 14- 17 pages for each parts !!*



1

Cert

1 Double Head Stethoscope Standard No.FT-801

- Chestpiece (No.801C) : Bell & Diaphragm, Two-Way Type
: Aluminum
- Binaural : Brass Binaural(No.B-03)
- Y-Tube : P.V.C.Y-Tube(No.Y-05)
: Grey or Black Color
- Weight : 130 g
- Packing : 100 sets/carton
: 0.0586m³, 14.5 kg



2

CE

Cert

2 Nurse's Stethoscope Standard No.NL-12

- Chestpiece (No.NL12C) : Diaphragm, Single-Head Type
: Aluminum
- Binaural : Brass Binaural(No.B-03)
- Y-Tube : P.V.C.Y-Tube(No.Y-05)
: Grey or Black Color
- Weight : 110 g
- Packing : 100 sets/carton
: 0.0586m³, 12.5 kg



3

CE

Cert

3 Double Head Stethoscope Color No.FT-800

- Chestpiece (No.801C) : Bell & Diaphragm, Two-Way Type
: Aluminum, 7 Colors
- Binaural : Aluminum Binaural(No.B-04)
- Y-Tube : P.V.C.Y-Tube(No.Y-05)
: Basic 7 Colors
- Weight : 112 g
- Packing : 100 sets/carton
: 0.0586m³, 12.7 kg



4

CE

Cert

4 Nurse's Stethoscope Color No.NL-11

- Chestpiece (No.NL12C) : Diaphragm Single-Head Type
: Aluminum, 7 Colors
- Binaural : Aluminum Binaural (No.B-04)
- Y-Tube : P.V.C.Y-Tube(No.Y-05)
: Basic 7 Colors
- Weight : 102 g
- Packing : 100 sets/carton
: 0.0586m³, 11.7 kg

Basic Color





Cert

5 Double Head Stethoscope Pediatric Standard No.FT-805

- Chestpiece (No.805C) : Bell & Diaphragm, Pediatric Type : Aluminum
- Binaural : Brass Binaural (No.B-03)
- Y-Tube : P.V.C.Y-Tube (No.Y-05) : Grey or Black Color
- Weight : 115 g
- Packing : 100 sets/carton : 0.0586m³, 13.0 kg



CE

Cert

7 Double Head Stethoscope Infant No.FT-806

- Chestpiece (No.806C) : Bell & Diaphragm Infant Type : Brass
- Binaural : Brass Binaural (No.B-03)
- Y-Tube : P.V.C.Y-Tube (No.Y-05) : Grey or Black Color
- Weight : 115 g
- Packing : 100 sets/carton : 0.0586m³, 13.0 kg



CE

Cert

6 Double Head Stethoscope Pediatric Color No.FT-805

- Chestpiece (No.805C) : Bell & Diaphragm Pediatric Type : Aluminum, Red, Yellow, Green, Blue, Pink
- Binaural : Aluminum Binaural (No.B-04)
- Y-Tube : P.V.C.Y-Tube (No.Y-05) : Red, Yellow, Green, Blue, Pink
- Weight : 107 g
- Packing : 100 sets/carton : 0.0586m³, 12.2 kg



CE

Cert

8 TARSCOPE (Rappaport Type) No.807

- Chestpiece (No.807C) : Interchangeable with 5 Parts : Brass
- Binaural : Brass Binaural (No.B-00)
- Tube : 56cm P.V.C.Tube : Black Color
- Accessories : Ball 3 kinds (S, M, L) : Diaphragm 2 kinds (S, L) : Ear Tips 2 types
- Weight : 375 g
- Packing : 50 sets/carton : 0.0868m³, 20.5 kg

*Please use the genuine parts of our company in the case of parts exchange !
Refer to 14-17 pages for each parts !!*



1 Double Head Stethoscope Deluxe No.FT-802

- Chestpiece (No.801C) : Bell & Diaphragm, Two-Way Type
: Aluminum
- Binaural : Brass Binaural DX(No.B-05)
- Y-Tube : Inner Spring Type Binaural
: Grey or Black Color
: with Zipper Case(No.LBS-1)
- Weight : 250 g
- Packing : 50 sets/carton
: 0.0723m³, 14.5 kg



2 Double Head Stethoscope Deluxe Stainless Type No.FT-802-D

- Chestpiece (No.801DC) : Bell & Diaphragm, Two-Way Type
: Stainless
- Binaural : Stainless Binaural(No.B-06)
- Y-Tube : Inner Spring Type Binaural
: Grey or Black Color
: with Zipper Case(No LBS-1)
- Weight : 280 g
- Packing : 100 sets/carton
: 0.1167m³, 29.5 kg



3 Twin-Stethoscope(W) No.FT-801-W

- Chestpiece (No.801C) : Bell & Diaphragm, Two-Way Type
: Aluminum
- Binaural : Brass Binaural(No.B-03) 2pcs
- Y-Tube : P.V.C.Y-Tube(No.Y-05) 2pcs
: Black Color
- Weight : 280 g
- Packing : 100 sets/carton
: 0.1386m³, 29.5 kg



4 Twin-Stethoscope(5) No.NL-12-W

- Chestpiece (No NL12C) : Diaphragm, Single-Head Type
: Aluminum
- Binaural : Brass Binaural(No.B-03) 2pcs
- Y-Tube : P.V.C.Y-Tube(No.Y-05) 2pcs
: Black Color
- Weight : 260 g
- Packing : 100 sets/carton
: 0.1386m³, 27.5 kg



5 Double Head Stethoscope Stainless No.FT-801-D

- Chestpiece : Bell & Diaphragm Two-Way Type
(No.801DC) : Stainless
- Binaural : Brass Binaural(No.B-03)
- Y-Tube : P.V.C.Y-Tube(No.Y-05)
: Grey or Black Color
- Weight : 150 g
- Packing : 100 sets/carton
: 0.0586m³, 17,0kg



6 Double Head Stethoscope Deluxe Color No.FT-803

Each Specifications : same as No.FT-802
*Chestpiece & Y-tube : Color Type



7 Traditional Stethoscope Ford Type No.6001

- Chestpiece : Bell
- Binaural : Brass Binaural(No.B-03)
- Tube : 50cm P.V.C.Tube 2pcs
: Black Color
- Weight : 180 g
- Packing : 100 sets/carton
: 0.091m³, 20.0 kg



8 Professional Stethoscope No.FT-902

- Chestpiece : Bell & Diaphragm,Two-Way Type
: Hard Coated Aluminum
- Binaural : Swing Binaural(No.B-08)
- Y-Tube : assembled with Binaural
: Grey or Black Color
- Extra Parts : Diaphragm(No.D-55) 1pc
: Ear Tips(No PE-3) 2pcs
- Weight : 370 g
- Packing : 25 sets/carton
: 0.0484m³, 11.5 kg

*Please use the genuine parts of our company in the case of parts exchange !
Refer to 14-17 pages for each parts !!*

Aluminum Double Head No.801C



Color



Aluminum Single Head No.NL12C



Color



Aluminum Double Head for Pediatric No.805C



Color



Brass Double Head for Infant No.806C



Stainless Double Head No.801DC



Other Heads No.807C No.6001C



Diaphragm



No.D-11 : No.805C
No.D-22 : No.806C
No.D-44 : No.801C
: No.NL12C

No.D-55 : Logo Printed
No.D-66 : No.801DC

P.V.C.Y.-Tube No.Y-05



Zipper Case No.LBS-1



Brass Binaural No.B-03

- Brass Tube 5Φmm Dia.
- Weight: 30 g

Aluminum Binaural No.B-04

- Weight : 22 g

Brass Binaural No.B-00 & B-02

No.B-02

No.B-00

No.B-00 : Non-Folding Type
No.B-02 : Folding Type

Ear Tips

No.PE-1 : White
No.PE-2 : Black
No.PE-3 : Mushroom

DX Binaural (Inner Spring Type)**No.B-05**

- Brass Type

**No.B-06**

- Stainless Type

**No.B-07**

- Brass Swing Type

**No.B-08**

- Stainless Swing Type

Diagnostic Instruments & Others

Instrumentos de Diagnostico y Otros

CE

according to an order

Cert

Free Sale Certificate offer of Japan Ministry of Health,
Labour and Welfare is possible


1 E.N.T.Diagnostic Set No.1000-B

- Penlight (Mini Type) : Bulb 2.2V-0.25A Nipple
: Battery AAA 2pcs
- Illuminator (Acryl) : Nasal Illuminator
: Throat Illuminator
: Otoloscope Illuminator
- Weight : 196 g
- Packing : 100 sets/carton
: 0.0807m³, 21.5 kg



2 Penlight-Mini No.1000-A

- Penlight : Bulb 2.2V-0.25A Nipple
: Battery AAA 2pcs
- Pupil Gauge : Label / Option
- Weight : 54 g
- Packing : 200 sets/carton
: 0.033m³, 12.0 kg



Pupil Gauge / Option

3 Head Mirror No.R-10026



- Mirror : 9cm Dia with Cover
- Focus : 300mm
- Head Band : Black Fiber
- Weight : 150 g
- Packing : 100 sets/carton
: 0.0524m³, 16.5 kg

CE


Cert

4 Percussion Hammer No.10012



- Tayler Type : Black Rubber
- Weight : 70 g
- Packing : 300 sets/carton
: 0.027m³, 22.5 kg

5 Scale Measure No.200-MN



- Range : 2m
- Packing : 500 pcs/carton
: 0.06m³, 18.5 kg

*Please use the genuine parts of our company in the case of parts exchange!
Please ask the purchased store about replacement parts !!*



1 Halogen Ophthalmoscope No.1001

- Complete with : Halogen Ophthalmoscope Head
: Handle (No.SM-030)
: Halogen Bulb(No SMH-030)
: Dry Battery C 2pcs
: Carrying Case
- Weight : 370 g(including batteries)
- Packing : 40 sets/carton
: 0.0406m³, 22.0 kg

CE
Cert

2 Otoscope No.2001

- Complete with : Otoscope Head
: Handle (No.SM-030)
: Bulb 3V 3W(No SML-001)
: Specula (3,5,7mm)
: Dry Battery C 2pcs
: Carrying Case
- Weight : 400 g(including batteries)
- Packing : 40 sets/carton
: 0.0573m³, 26.5 kg

CE
Cert


3 Halogen Diagnostic Set No.3001

- Complete with : No.1001&No.2001
- Specifications : same as No.1001&No.2002
: Dry Battery C 2pcs
: Carrying Case
- Weight : 550 g(including batteries)
- Packing : 20 sets/carton
: 0.0338m³, 14.5 kg


CE
Cert

4 Rechargeable Battery Set No.RB-1

Option Set

- AC-Adaptor
- Rechargeable Battery
- Exclusive use Bottom Lid



This Set can be used for All Model



5 Halogen Diagnostic Full Set No.5001

- Complete with : No.3001
: Laryngeal Mirror
: Tongue Blade Holder
- Specifications : Same as No.3001
: Dry Battery C 2pcs
: Carrying Case
- Weight : 670 g(including batteries)
- Packing : 20 sets/carton
: 0.0338m³, 15.5 kg



ALP K2[®]

Seeks to Gain 100% Customer Satisfaction.



<https://alpk2.jp/>
info@alpk2.jp



Specifications may subject to change without prior notice.